

WOODEN

REXTRON[®]
CERAMIC

GLAZED VITRIFIED TILES
600x1200 mm

A TRUE
REPLICA OF
ITALIAN
MARBLE

Glossy
COLLECTION
natural trend

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ASH WOOD



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
ASH WOOD

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

BARREL CIDER



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




DESIGN SHOWN-
BARREL CIDER

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

TEAKWOOD BEIGE



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

BEIGE WOOD



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
BEIGE WOOD

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CHARCOAL WOOD



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
CHARCOAL WOOD

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CHARM WOOD BEIGE



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
CHARM WOOD BEIGE

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CHARM WOOD BROWN



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
CHARM WOOD BROWN

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CHERRY WOOD



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CHEELWOOD BEIGE



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



verde

YES

GO

BIKE

DESIGN SHOWN-
CHEELWOOD BEIGE

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

OAKWOOD WENGUE



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CHESTNUT BROWN



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean





DESIGN SHOWN-
CHESTNUT BROWN

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CROSSWOOD CREMA



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CROSSWOOD BROWN



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
CROSSWOOD BROWN

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ELEGANT WOOD



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
ELEGANT WOOD

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ETERNITY WALNUT



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




DESIGN SHOWN-
ETERNITY WALNUT

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

FIRE WOOD



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



THE
FASHI
BOO



DESIGN SHOWN-
FIREWOOD

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

HABITAT OCRE



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
HABITAT OCRE

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MIAMI BLACK



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MIAMI WHITE



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MAHOGANY WOOD



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
MAHOGANY WOOD

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

SESAM WOOD GREY



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
SESAM WOOD GREY

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

SESAM WOOD NATURAL



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

STRIPWOOD GREY



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




DESIGN SHOWN-
STRIPWOOD GREY

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ARTWOOD GREY



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

TANGO BEIGE



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




DESIGN SHOWN-
TANGO BEIGE

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

TOUCHWOOD GRAY



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

TANGO GRIS



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
TANGO GRIS

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

TOUCHWOOD BROWN



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

TANGO NARANJA



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
TANGO NARANJA

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

TUSKANY WOOD WENGUE



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
TUSKANY WOOD WENGUE

WOODEN
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

VIBRANT WOOD



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN-
VIBRANT WOOD

GLAZED VITRIFIED TILES 600x1200 mm

REXTRON[®] CERAMIC

PACKING DETAIL FOR 600x1200MM GVT TILES

| Nominal Size | Thickness(mm) | Average weight per carton (Kgs) | No. of tiles per carton | Coverage area per carton |
|--------------|---------------|---------------------------------|-------------------------|--------------------------|
| 600x1200mm | 8.5 (Approx) | 27.50 (Approx) | 2 | 1.44sq.mtr./15.50sq.ft. |

TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES

| Characteristics | Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla | Requirement as per ISO 13006 ≤ 0.5% Group Bla | Our Values | Test Method |
|--|---|--|--|---------------------------------|
| A) Dimension & Surface Quality | | | | |
| i) Length & Width | ± 0.1% | ± 0.3% | ± 0.1% | IS 13630 Part 1/ ISO 10545-2 |
| ii) Thickness | ± 5.0% | ± 5.0% | ± 4.0% | |
| iii) Straightness of Side | ± 0.1% | ± 0.3% | ± 0.1% | |
| iv) Rectengularity | ± 0.1% | ± 0.3% | ± 0.1% | |
| v) Surface Flatness | | | | |
| a) Center curvature (%) (max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | |
| b) Edge curvature (%) (max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | |
| c) Corner warpage (%) (max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | |
| vi) Surface Quality | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | |
| B) Physical Properties | | | | |
| i) Water Absorption | Av E ≤ 0.08 %, Individual 0.1 max | Av ≤ 0.5 %, Individual 0.6% max | Avg. E ≤ 0.08 % | IS 13630 Part 2/ ISO 10545-3 |
| ii) Modulus of Rupture [N/mm ²] | Av 35, Individual 32 min | Av 35, Individual 32 min | Avg, 35 Ind 32 | IS 13630 Part 6/ISO 10545-4 |
| iii) Breaking Strength in N | Min. 1300 | Min. 1300 | Min. 1300 | |
| iv) Moisture Expansion in mm/m | 0.02 | Test Method Available | 0.02 | IS 13630 Part 3/ISO-10545-10 |
| v) Scratch Hardness of surface (Mohs) | Min 5 | N/A | Min.5 (for VC & RT), Min.3 (for Polished) | IS 13630 Part 13 |
| vi) Resistance to Abrasion of glazed tiles(Class I to V) | Min II | Abrasion Class & Cycle passed | Class-V (for VC & RT), Class-III (for Polished) | IS 13630 Part 11 /ISO 10545-7 |
| vii) Coefficient of linear thermal expansion from embian temperature to 100° C | 6 X 10 ⁻⁶ K ⁻¹ Max | Test Method Available | Max 6 X 10 ⁻⁶ K ⁻¹ max | IS 13630 Part 4/ ISO 10545-8 |
| viii) Thermal Shock Resistance | 10 cycle min | Test Method Available | 10 cycle passed | IS 13630 Part 5/ISO-10545-9 |
| ix) Crazing Resistance | 4 cycle @ 7.5bar min | Required | 4 cycle passed | IS 13630 Part 9/ISO 10545-11 |
| x) Impact Resistance as Co-efficient of Re stitution | 0.55 min | Required | Min 0.55 | ISO 10545-5 |
| xi) Frost Resistance | Required | Required | 100 Cycle Passed | IS 13630 Part 10/ISO 10545-12 |
| C) Chemical Resistance (glazed Tiles) | | | | |
| i) Stain Resistance | Min Class 1 | Min Class 3 | Min Class-1 | IS 13630 Part 8 &ISO 10545-14 |
| ii) Resistance to household chemicals | Min Class AA | Min Class GB | Min Class AA | IS 13630 Part 8/ ISO 10545-13 |
| iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds) | Required if agreed | Declared Value' | Min Class AA | |

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.