

GLAZED VITRIFIED TILES 600x1200 mm


ATRUE REPLICA OF ITALIAN MARBLE







CRV ALLURO GREY





RANDOM FACES - 3













Low Water Absorption

nical Stain Zero tant Resistance Maintenance

Easy to







CRV ALLURO WHITE





RANDOM FACES - 3













Low Water Absorption


| Stain Zero t Resistance Maintenance

Easy to





CRV ANDORA WHITE





RANDOM FACES - 3













Low Water Absorption

mical Stain Zero istant Resistance Maintena

Easy to







CRV ARABIAN WHITE





RANDOM FACES - 3













Low Water Frost Absorption Resistant


Resistance Maintenance








CRV ARMANI BIANCO











RANDOM FACES - 4














Absorption Resistant

Resistant Resistance Maintenance





CRV ARMANI BRONZE











RANDOM FACES - 4













Low Water Absorption

Frost Resistant

Stain Zero Resistance Maintenance

Easy to Clean









CRV ARMANI CREMA











RANDOM FACES - 4














Low Water Frost Absorption Resistant

Resistant Resistance Maintenance





CRV ARMANI GRIS











RANDOM FACES - 4













Low Water Absorption

Frost Pesistant

Stain Zero Resistance Maintenance

Easy to





CRV BRECCIA BEIGE

















Low Water Absorption

Frost Resistant

Stain Zero esistance Maintenance

Easy to Clean







CRV BRUT GRIS











RANDOM FACES - 4













Absorption Resistant

Resistance Maintenance







CRV CALACATTA

















Low Water Absorption

Frost Resistant

al Stain Zero It Resistance Maintenance

Easy to Clean







CRV CALVINO GREY











RANDOM FACES - 4













Low Water Frost Absorption Resistant

Resistant Resistance Maintenance







CRV CHARM WOOD BEIGE





RANDOM FACES - 3













Low Water Absorption

mical Stain Zero istant Resistance Maintenance


Easy to Clean








CRV CHESTER GOLD





RANDOM FACES - 4














Low Water Frost Absorption Resistant


Resistant Resistance Maintenance





CRV CHESTER SILVER

















Low Water Frost Absorption Resistant

Resistant Resistance Maintenance





REXTRON® CERAMIC

600x1200mm **GLAZED VITRIFIED TILES**

CRV CORINTO GREY

















Low Water Frost Absorption Resistant

Resistance Maintenance







CRV COUNTRYWOOD











RANDOM FACES - 3













Low Water Absorption

Frost Resistant

Chemical Resistant

Stain Zero esistance Maintenance

Easy to Clean







CRV DELPHI BROWN

















Low Water Frost Absorption Resistant

Resistance Maintenance







CRV DIEGO BEIGE





RANDOM FACES - 4













Low Water Absorption

cal Stain Zero ant Resistance Maintenance

Easy to Clean



REXTRON[®]

600x1200mm **GLAZED VITRIFIED TILES**

CRV FENO GRIS











RANDOM FACES - 3













Absorption Resistant

Resistant Resistance Maintenance





CRV FENO MUDDY











RANDOM FACES - 3














Low Water Frost Absorption Resistant


Resistant Resistance Maintenance





CRV FLAWLESS





RANDOM FACES - 1













Low Water Absorption

Chemical Resistant

Stain Zero Resistance Maintenance

Easy to Clean







CRV HAVUZ GRAFITO









RANDOM FACES - 4













Absorption Resistant


Resistant Resistance Maintenance








CRV HYPER BEIGE





RANDOM FACES - 1















Resistant Resistance Maintenance





CRV HYPER BIANCO





RANDOM FACES - 1















Resistant Resistance Maintenance





CRV HYPER BROWN





RANDOM FACES - 1














Resistant Resistance Maintenance








CRV HYPER CREMA





RANDOM FACES - 1















Resistant Resistance Maintenance





CRV HYPER GREY





RANDOM FACES - 1













Resistant Resistance Maintenance







CRV KALHARI CHOCO

















Low Water Absorption

Frost Resistant

nical Stain Ze stant Resistance Mainte

Easy to Clean







CRV KALHARI CREMA

















Low Water Absorption

Frost esistant

Stain Zero Resistance Maintenance

Easy to





CRV KALHARI EXOTIC

















Low Water Absorption

Frost Resistant

Chemical Resistant

Stain Zero esistance Maintenance

Easy to







CRV KALHARI GREY





RANDOM FACES - 4













Low Water Absorption Frost Resistant


cal Stain Zero nt Resistance Maintenance


Easy to Clean





CRV KALHARI NERO

















Low Water Absorption

Frost Resistant

Chemical Resistant

Stain Zero esistance Maintenance

Easy to







CRV KIMBER BROWN









RANDOM FACES - 4













Low Water Absorption

Frost Resistant

l Stain Zero t Resistance Maintenance

Easy to Clean





REXTRON®

600x1200mm **GLAZED VITRIFIED TILES**

CRV LAZZIO GREY

















Low Water Frost Absorption Resistant

Resistance Maintenance



REXTRON[®]

600x1200mm **GLAZED VITRIFIED TILES**

CRV MATIS BEIGE

















Low Water Frost Absorption Resistant

Resistance Maintenance








CRV MIAMI WHITE











RANDOM FACES - 4













Low Water Absorption Frost Resistant

Chemical Stain Zero Resistant Resistance Maintenance


Easy to Clean







CRV MOUNTAIN WHITE





RANDOM FACES - 4













Low Water Absorption

Frost Resistant

mical Stain

Easy t







CRV NOCHE TRAVERTINE CREMA











RANDOM FACES - 2













Low Water Absorption Frost Resistant Chemical Resistant

Stain Zero Resistance Maintenance

Easy to Clean







CRV ONDA BEIGE

















Low Water Absorption

Frost Resistant

Stain Zero Resistance Maintenance

Easy to Clean





CRV ONDA GRIS

















Low Water Absorption

Frost Resistant

al Stain Zero at Resistance Maintenar

Easy to







CRV PRAG CREMA





RANDOM FACES - 4













Resistance Maintenance







CRV PRAG GRIS





RANDOM FACES - 4













Resistant Resistance Maintenance






CRV PULPIS GRIS











RANDOM FACES - 4













Resistant Resistance Maintenance







CRV SAHA AZUL





RANDOM FACES - 4













Low Water Absorption Frost Resistant

emical Stain Zero sistant Resistance Maintenance


Easy to Clean







CRV STATUARIO CLASSIC









RANDOM FACES - 4














Low Water Frost Absorption Resistant


Resistance Maintenance





CRV SWIZ BLUE





RANDOM FACES - 2













Low Water Absorption Frost Resistant

mical Stain Zero istant Resistance Maintenance

Easy t







CRV SWIZ BROWN

















Low Water Absorption

Frost Resistant

Stain Zero Resistance Maintenan

Easy to Clean







CRV SWIZ CREMA





RANDOM FACES - 2













Low Water Absorption Frost Resistant hemical Si esistant Resi

Stain Zero esistance Maintenance Easy to Clean




REXTRON®

6 0 0 x 1 2 0 0 m m GLAZED VITRIFIED TILES

CRV SWIZ GREY





RANDOM FACES - 2













Low Water Absorption Frost Resistant

emical Stain sistant Resistance

Stain Zero
sistance Maintenance

Easy to Clean





CRV SWIZ MUDY





RANDOM FACES - 2













Low Water Absorption

Frost Resistant

Chemical Resistant

Stain Zero esistance Maintenance


Easy to Clean




REXTRON[®]

6 0 0 x 1 2 0 0 m m GLAZED VITRIFIED TILES

CRV SWIZ WHITE





RANDOM FACES - 2













Low Water Absorption

Frost Resistant nical Stain Ze stant Resistance Mainte Easy to







CRV TAXIM CREMA





RANDOM FACES - 4













Low Water Frost Absorption Resistant

Resistant Resistance Maintenance





REXTRON

600x1200mm **GLAZED VITRIFIED TILES**

CRV THOR BEIGE











RANDOM FACES - 4














Low Water Frost Absorption Resistant

Resistant Resistance Maintenance





CRV THOR GRIS











RANDOM FACES - 4













Low Water Frost Absorption Resistant


Resistance Maintenance







CRV TROPIX WHITE

















Low Water Absorption

Frost Resistant

Stain Zero Resistance Maintenance

Easy to Clean







REXTRON[®] CERAMIC

600x1200mm **GLAZED VITRIFIED TILES**

CRV VALERON WHITE

















Low Water Frost Absorption Resistant

Resistant Resistance Maintenance







CRV VELVET BROWN

















Low Water Frost Absorption Resistant

Resistant Resistance Maintenance





CRV VELVET GRIS

















Low Water Frost Absorption Resistant

Resistance Maintenance







| PACKING DETAIL FOR 600x1200MM GVT TILES | | | | | | | |
|---|---------------|---------------------------------|-------------------------|--------------------------|--|--|--|
| Nominal Size | Thickness(mm) | Average weight per carton (Kgs) | No. of tiles per carton | Coverage area per carton | | | |
| 600x1200mm | 8.5 (Approx) | 27.50 (Approx) | 2 | 1.44sq.mtr./15.50sq.ft. | | | |

| TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES | | | | | | | |
|--|---|---|---|---------------------------------|--|--|--|
| Characteristics | Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla | Requirement as per ISO 13006 ≤ 0.5% Group Bla | Our Values | Test Method | | | |
| A) Dimension & Surface Quality | | | | | | | |
| I) Length & Width | ± 0.1% | ± 0.3% | ± 0.1% | IS 13630 Part 1/ ISO 10545-2 | | | |
| ii) Thickness | ± 5.0% | ± 5.0% | ± 4.0% | | | | |
| iii) Straightness of Side | ± 0.1% | ± 0.3% | ± 0.1% | | | | |
| iv) Rectengularity | ± 0.1% | ± 0.3% | ± 0.1% | | | | |
| v) Surface Flatness | | | | | | | |
| a) Center curvature (%) (max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | | | | |
| b) Edge curvature (%) { max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | | | | |
| c) Corner warpage (%)(max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | | | | |
| vi) Surface Quality | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | | | | |
| B) Physical Properties | | | | | | | |
| I) Water Absorption | Av E ≤ 0.08 %, Individual 0.1 max | Av ≤ 0.5 %, Individual 0.6% max | Avg. E≤ 0.08 % | IS 13630 Part 2/ ISO 10545-3 | | | |
| ii) Modulus of Rupture [N/mm2] | Av 35, Individual 32 min | Av 35, Individual 32 min | Avg, 35 Ind 32 | IS 13630 Part 6/ISO 10545-4 | | | |
| iii) Breaking Strength in N | Min. 1300 | Min. 1300 | Min. 1300 | .5 1000 Fall 5/100 100-10-4 | | | |
| iv) Moisture Expansion in mm/m | 0.02 | Test Method Available | 0.02 | IS 13630 Part 3/ISO-10545-10 | | | |
| v) Scratch Hardness of surface (Mohs) | Min 5 | N/A | Min.5 (for VC & RT), Min.3 (for Polished) | IS 13630 Part 13 | | | |
| vi) Resistance to Abrasion of glazed tiles(Class I to V) | Min II | Abrasion Class & Cycle passed | Class-V (for VC & RT), Class-III (for Polished) | IS 13630 Part 11 /ISO 10545-7 | | | |
| vii) Coefficient of linear thermal expansion from embiant temperature to 100° C | 6 X 10 ⁻⁶ K ⁻¹ Max | Test Method Available | Max 6 X 10 ⁻⁶ K ⁻¹ max | IS 13630 Part 4/ ISO 10545-8 | | | |
| viii) Thermal Shock Resistance | 10 cycle min | Test Method Available | 10 cycle passed | IS 13630 Part 5/ISO-10545-9 | | | |
| ix) Crazing Resistance | 4 cycle @ 7.5bar min | Required | 4 cycle passed | IS 13630 Part 9/ISO 10545-11 | | | |
| x) Impact Resistance as Co-efficient of Re stitution | 0.55 min | Required | Min 0.55 | ISO 10545-5 | | | |
| xi) Frost Resistance | Required | Required | 100 Cycle Passed | IS 13630 Part 10/ISO 10545-12 | | | |
| C) Chemical Resistance (glazed Tiles) | | | | | | | |
| I) Stain Resistance | Min Class 1 | Min Class 3 | Min Class-1 | IS 13630 Part 8 &ISO 10545-14 | | | |
| ii) Resistance to household chemicals | Min Class AA | Min Class GB | Min Class AA | IS 13630 Part 8/ ISO 10545-13 | | | |
| iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds) | Required if agreed | Declared Value ^t | Min Class AA | | | | |

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed.

Complaints will not be entertained for Borders, Highlighters & Motifs.