

MATT
Collection

REXTRON®
CERAMIC

GLAZED VITRIFIED TILES
600x1200 mm

A TRUE
REPLICA OF
ITALIAN
MARBLE

Glossy
COLLECTION
natural trend

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CORNOS BEIGE



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CORNOS BROWN



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean





DESIGN SHOWN -
CORNOS BROWN

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CORNOS GRAFITO



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

CORNOS GRIS



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN -
CORNOS GRAFITO & GRIS

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

DOVE BEIGE



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean





DESIGN SHOWN -
DOVE BEIGE

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

FIENZA AZUL



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean





DESIGN SHOWN -
FIENZA AZUL

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

FIENZA CREMA



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

FIENZA MOCHA



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN -
FIENZA CREMA & MOCHA

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

FIENZA GRIS



RANDOM FACES - 4



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean





DESIGN SHOWN -
FIENZA GRIS

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MASSA BIANCO



RANDOM FACES - 1



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MASSA ANTHRACITE



RANDOM FACES - 1



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




DESIGN SHOWN -
MASSA ANTHRACITE

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MASSA BROWN



RANDOM FACES - 1



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MASSA CREMA



RANDOM FACES - 1



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean





DESIGN SHOWN -
MASSA BROWN & CREMA

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MASSA GRIS



RANDOM FACES - 1



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




DESIGN SHOWN -
MASSA GRIS

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

MASSA SAND



RANDOM FACES - 1



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




DESIGN SHOWN -
MASSA SAND

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ORION CREMA



RANDOM FACES -3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ORION BIANCO



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ORION GRAFITO



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN -
ORION GRAFITO & GRIS

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ROVIGO GRIS



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN -
ROVIGO GRIS

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

ROVIGO SAND



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean





DESIGN SHOWN -
ROVIGO SAND

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

VANILLA BEIGE



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

VANILLA BROWN



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean





DESIGN SHOWN -
VANILLA BROWN

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

VANILLA MUDDY



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




DESIGN SHOWN -
VANILLA MUDDY

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

VANILLA NERO



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance





Easy to
Clean

MATT
COLLECTION

REXTRON[®]
CERAMIC

600x1200mm
GLAZED VITRIFIED TILES

VANILLA GRIS



RANDOM FACES - 3



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



DESIGN SHOWN -
VANILLA NERO

GLAZED VITRIFIED TILES 600x1200 mm

REXTRON[®] CERAMIC

PACKING DETAIL FOR 600x1200MM GVT TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200mm	8.5 (Approx)	27.50 (Approx)	2	1.44sq.mtr./15.50sq.ft.

TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES

Characteristics	Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%	
iv) Rectengularity	± 0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
b) Edge curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E ≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg, 35 Ind 32	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min. 1300	Min. 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min.5 (for VC & RT), Min.3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for VC & RT), Class-III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ Max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Re stitution	0.55 min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ¹	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.